



Western Washington University
Western CEDAR

Salish Sea Ecosystem Conference

2014 Salish Sea Ecosystem Conference
(Seattle, Wash.)

May 2nd, 10:30 AM - 12:00 PM

Monitoring the movements of a critical marine resource: tracking a forage fish in Puget Sound

Theresa Liedtke
Geological Survey (U.S.), tliedtke@usgs.gov

Ryan Tomka
Geological Survey (U.S.)

Collin Smith
Geological Survey (U.S.)

Lisa Gee
Geological Survey (U.S.)

Dennis Rondorf
Geological Survey (U.S.)

Follow this and additional works at: <https://cedar.wvu.edu/ssec>

 Part of the [Terrestrial and Aquatic Ecology Commons](#)

Liedtke, Theresa; Tomka, Ryan; Smith, Collin; Gee, Lisa; and Rondorf, Dennis, "Monitoring the movements of a critical marine resource: tracking a forage fish in Puget Sound" (2014). *Salish Sea Ecosystem Conference*. 72.
<https://cedar.wvu.edu/ssec/2014ssec/Day3/72>

This Event is brought to you for free and open access by the Conferences and Events at Western CEDAR. It has been accepted for inclusion in Salish Sea Ecosystem Conference by an authorized administrator of Western CEDAR. For more information, please contact westerncedar@wwu.edu.

Monitoring the movements of a critical marine resource: tracking a forage fish in the Salish Sea

T. Liedtke, R. Tomka, L. Gee, C. Smith, & D. Rondorf

Western Fisheries Research Center
Columbia River Research Laboratory

U.S. Department of the Interior
U.S. Geological Survey

Background




- Forage fish guild: Important marine resource
- WDFW 30 year dataset on spawning
 - Spawning beaches
 - Seasonal timing
- Large data gaps
 - Movement and distribution
 - Site fidelity
 - Feeding ecology

Acoustic Telemetry

● Powerful tool

- Monitor individual animals
- Fine-scale movement information



● But.....

- Requires a big assumption: limited tag effects
- Best to have some baseline info to design monitoring

Our effort was a pilot study designed to:

- 1) Test fish handling & tag implantation procedures
- 2) Collect baseline data to inform future efforts

Methods

- Vemco 69 kHz
 - V7 tags (73 d life)
 - Compatible with other deployed receivers
- Ross Pt in Sinclair Inlet
 - Well document spawning beach
 - Popular recreational fishing site
 - Dip netting with local fishers
- Tagged 12 males in Nov 2012
 - Mean size: 167 mm FL and 43 g
 - Mean tag burden 3.8%



Liberty Bay ○

○ Agate Passage

13 monitoring
locations

> 90 d deployment

Ballard

Bainbridge
Island

○ Eagle Harbor

5 receivers



Port Washington
Narrows

2 receivers

Bremerton

West
Seattle

○ Port Orchard


Ross Pt

Also did limited
mobile tracking
in Sinclair Inlet

ATTENTION: SURF SMELT ANGLERS

TAG REWARD


- Made fish visually distinct
 - Dorsal beads & ventral stitches
- Signs at all fishing access points
- Word of mouth




Transmitter



Beads




Stitches



Results

- All fish detected within a few days of release
- Detections restricted to:
 - Ross Pt: all individuals
 - Port Washington Narrows: 1 individual
- Port Washington Narrows
 - Good detection across channel
 - Ross Pt for 6 d after release
 - Not detected again





Ross Pt

- Station positioned to monitor the spawning beach
- Spawning beach across the Inlet
 - Not within range of Ross Pt station




Ross Pt Results



- Average of 6 visits to the site (max 17)
- Residence time: 2.2 h (max 8 h)
- Lag time: 2.3 h (max 5 d)

Where did they all go?



No longer at Ross Pt
Not detected elsewhere




● Possibilities:

- Fish died
- Left Sinclair Inlet without being detected
- Within Sinclair Inlet but outside of detection range
 - Detections at spawning beach on opposite shoreline (mobile)
- Captured by recreational or commercial fishers

1 reward issued

Large commercial effort

Ross Pt Detections



Next Steps

- Full-scale effort in fall-winter of 2014-2015
 - Tag fish earlier in the season
 - Mix of males and females
- Focused monitoring in Sinclair Inlet
 - Head of the Inlet
 - Alternate spawning beach
 - Detailed movements around Ross Pt

Study Context

- Part of a larger USGS program
 - Coastal Habitats in Puget Sound (CHIPS)
 - Interdisciplinary approach
- Address some of the forage fish data gaps
 - Focus on habitat
- Current research topics include:
 - Sand lance burrowing habitats
 - Habitat use & food habits of juvenile sand lance & surf smelt



Study Relevance

● Movement & phenology information useful for:

■ Modeling efforts

- Climate impacts
- Contaminant exposure risk
- Trophic dynamics
 - Predator-prey interactions
 - Seabirds, salmon, marine mammals

■ Habitat protection & restoration

■ Resource management

- Stock monitoring




- Jerry Twogood & Chuck Gautier
 - Coastal Conservation Association of Washington
- Doris Small & Chris Waldbilling
 - WDFW Port Orchard office

Special Thanks

Questions?



November 7, 2012



Transmitter selection

● V7-2x-A69-1303

- 73 day tag life
- 45 second nominal pulse rate
- 30-60 sec pulse rate range
- 1.6g in air